

Prozap[®] Insect Guard[™]

Kills Flying and Crawling Insect Pests as Listed

FOR UP TO 4 MONTHS

Simply Remove from Package to Begin Controlling Action

Long-Lasting, Round-The-Clock Protection

Solid Strip Formula Kills Flies, Cockroaches, Mosquitoes, Moths & Spiders

ACTIVE INGREDIENT:

Dichlorvos (2,2-dichlorovinyl dimethyl phosphate).....18.6%

Related Compounds1.4%

INERT INGREDIENTS:.....80.0%

TOTAL:100.00%

This product contains the toxic inert ingredient Bis(2-ethylhexyl) adipate (DEHA) at 19.8%

EPA Reg. No. 5481-533-47000

EPA Est. No. 686-GBR-001

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See Back Panel for Additional Precautions

FIRST AID

IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center, or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center, or doctor for further treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center, or doctor for treatment advice..
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center, or doctor for treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. **POISONING SYMPTIOMS:** This product is a cholinesterase inhibitor. Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with atropine. Clear chest by postural drainage.

Have the product container label with you with calling a poison control center or doctor, or going for treatment. **FOR THE FOLLOWING EMERGENCIES. PHONE 24 HOURS A DAY:**
 For Medical Emergencies phone: 1-888-681-4261
 For Transportation Emergencies, including spill, leak or fire, phone: 1-800-424-9300
 For Product Use Information: 1-888-462-6822

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: May be fatal if swallowed. Do not get in mouth. Harmful if inhaled. Causes moderate eye irritation. Avoid breathing vapors. Avoid direct contact with eyes or clothing. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Do not use in hospitals or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in kitchens, restaurants or areas where food is prepared for served. Do not use in homes except for garages, attics, crawls spaces, and shed occupied by people for less than 4 hours per day. No to be taken internally by humans or animals.

**STOP! READ ENTIRE LABEL BEFORE USE
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Remove pre-assembled Prozap Insect Guard from sealed bag when ready to use. Do not allow children to handle new or used strips. Hang in the desired location away from windows and out of reach of children and pets. Drafts, weather and other conditions may affect the performance, but treatment usually lasts for four (4) months. One 80g strip will treat 900 to 1200 cu. ft. Record date of installation and replace with a new, fresh, full-strength strip at the end of four (4) months or when effectiveness

diminishes. Do not use in the food/feed areas of food/feed processing or food/feed manufacturing or food/feed service establishments. Non-food/feed areas of these establishments where the product can be used are areas such as garbage rooms, laboratories, floor drains (to sewer) entries and vestibules, areas of office buildings occupied for less than 4 hours per day, locker rooms, machine rooms, boiler rooms, utility equipment, mop closets, and product storage (after canning or bottling). Prozap Insect Guard controls flies, gnats, mosquitoes, moths, silverfish, cockroaches, spiders, beetles, and earwigs and other insects as listed.

Only available in 80 gram pest strip size.

For use in unoccupied areas; not for use in homes except garages, attics, crawl spaces, and sheds occupied by people less than 4 hours per day.

Also for use in boathouses, museum collections, animal buildings, reptile house, motor control rooms, and milk rooms, or enclosed areas thereof, occupied by people for less than 4 hours per day.

For use in unoccupied areas such as trash dumpsters, catch basins, bulk raw grain bins, storage bins, enclosed utility boxes, and storage units. Also for use in areas where non-perishable packaged and bagged and bulk stored processed and raw agricultural commodities (such as soybeans, corn, grains, cocoa beans and peanuts) are stored.

Also for use in the following unoccupied structures, provided there are unoccupied for more than 4 months immediately following the placement of a pest strip: vacation homes, cabins, mobile homes, boats, farm houses, and ranch houses.

HOUSEHOLD, INDUSTRIAL, AND COMMERCIAL USES

Vacation Homes, Ranch Houses, Farm Houses, Cabins, Mobile Homes, Boats that are unoccupied for more than 4 months immediately following placement of pest strip. Garages, Storage Units, Attics, Crawl Spaces, Boathouses, Sheds, Museum Collections Occupied by People for Less than 4 Hours Per Day.

Controls flies, mosquitoes, gnats and other insects as listed.

Kills flies and other insects as listed for up to four (4) months. Remove from sealed bag and hang or stand, out of reach of children and pets, in an open space of an enclosed area, away from windows. Do not allow children to handle new or used strips. One 80g strip will treat 900 to 1200 cubic feet which is about equal to an average room 10' x 13' with an 8-foot ceiling for up to four (4) months. In a larger room, if more than one strip is required, keep them at least 10 feet apart. Record the date of installation so the at the old strip may be replaced with a new, fresh, full-strength strip at the end of the four (4) month period or when effectiveness diminishes.

TRASH DUMPSTERS

For control of flies in garbage dumpsters, attach the strip (One strip treats 900 to 1200 cu. Ft.) inside dumpster. Keep lid on dumpster closed.

Animal Buildings Occupied by People for Less than 4 Hours Per Day

Controls flies, mosquitoes and gnats in horse barns, calf parlors, hog parlors, stables, poultry houses, tack rooms and dog kennels. Do not contaminate food, water or foodstuffs. DO NOT contaminate milk or milking equipment

Milk Rooms Occupied by People for Less than 4 Hours Per Day

Controls flies, mosquitoes and gnats in milk room and bulk storage rooms. DO NOT contaminate milk or milking equipment.

Agricultural Commodities

Bulk storage of raw grains such as corn, soybeans, cocoa beans and peanuts. For control of stored product insects including Almond Moths, Cocoa Moths, Indian Meal Moths, and Mediterranean Flour Moths infesting non-perishable bulk-stored raw agricultural commodities. Calculate cubic feet of air space above the commodity to determine the number of strips required for treatment. Treat in early Spring before moths begin to emerge. Replace with strip when needed to prevent egg laying by moths. Hang strips so as not to impede air circulation. When multiple strips are required, distribute them uniformly over the treated space.

Catch Basins

To control mosquitoes breeding in catch basin, suspend one 80g strip about ten inches above water level. Usual control lasts 10 to 15 weeks.

Enclosed Utility Boxes

To control Fire Ants, Wasps and other insects as listed which commonly infest utility enclosures, cabinets, conduits, junction boxes, and enclosed electrical panels. Remove from sealed bag and hang or stand so air can contact all sides of the strip. One strip treats 900 to 1200 cubic feet. Record installation data and replace when effectiveness diminishes.

Reptile Houses Occupied by People for Less than 4 Hours Per Day

For control of mites on reptiles. **In Reptile Houses:** Hang appropriate number of 80g strips per 1,000 cu. ft. for the space to be treated. Do not over treat.

How much space will one strip treat?

Strip Size	Treats	Approx. Equivalent to Area Measuring
80 grams	900 to 1,200 cu. ft.	8' x 10' x 15' = 1200 cu. ft.

Always use the appropriate size and number of strips for the space being treated. If more than one is required, distribute them over the space equally.

HOUSEHOLD USES

Attics, Garages, Sheds, and Enclosed Crawl Spaces Occupied by People for Less than 4 Hours Per Day

Kills flies and other insects as listed for up to four (4) months. Remove from sealed bag and hang or stand, out of reach of children and pets, in an open space of an enclosed area, away from windows. Do not allow children to handle new or used strips. One 80g strip will treat 900 to 1200 cubic feet which is about equal to an average room 10' x 13' with an 8-foot ceiling for up to four (4) months. In a larger room, if more than one strip is required, keep them at least 10 feet apart. Record the date of installation so the at the old strip may be replaced with a new, fresh, full-strength strip at the end of the four (4) month period or when effectiveness diminishes.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food or feed by storage and disposal. Do not open or remove from package before ready to install. Store in a cool dry place.

Foil Pouch

Do not open or remove from package before ready to use.

Disposal: If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any outdoor drain.

Outer Container

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or dispose of the empty container in trash.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions warnings, and other statements on this label are based upon reasonable experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops and upon reports of filed experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE RESULTING FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS. BUYERS

EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OR THIS PRODUCT WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT, SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Seller offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of Seller.

Proposition 65: Warning: This product contains a chemical known to the State of California to cause cancer.

For non-emergency (e.g. current product information)
call: **1-800-621-8829**

**Manufactured For:
Chem-Tech, Ltd.
1006 North Highway 5
Pleasantville, IA 50225**

Prozap® is a Registered Trademark of Chem-Tech, Ltd.
Insect Guard™ is a Trademark of Chem-Tech, Ltd.

Code (NL.RG.) NA.RL.

Item No.: 5019530
Net Contents: 80 grams
UPC: 0984530 14006 (0)
Format: UPC-A
Label:

Item No.: 5019560
Net Contents: 6 x 80 grams
UPC: 000 98453 02500 (2)
Format: Interleaved 2-of-5
Label: Case

Item No.: 5019510
Net Contents: 12 x 80 grams
UPC: 0 98453 94000 (4)
Format: UPC-A
Label:

Item No.: 5019510
Net Contents: 4 x 12 x 80 grams
UPC: 000 98453 14017 (6)
Format: Interleaved 2-of-5
Label: Case

SPECIMEN LABEL

Item No.: 5019540
Net Contents: 80 x 80 grams
UPC: 100 98453 14013 (5)
Format: Interleaved 2-of-5
Label: Display